

Statistical Machine Learning

Hilary Term 2019

Pier Francesco Palamara

Department of Statistics
University of Oxford


Slide credits and other course material can be found at:
<http://www.stats.ox.ac.uk/~palamara/SML19.html>

March 1, 2019


Neural Networks

Biological inspiration

- Basic computational elements: neurons.
- Receives signals from other neurons via dendrites.
- Sends processed signals via axons.
- Axon-dendrite interactions at synapses.
- $10^{10} - 10^{11}$ neurons.
- $10^{14} - 10^{15}$ synapses.




Single Neuron Classifier




- **activation** $w^T x + b$ (linear in **inputs** x)
- **activation/transfer function** s gives the **output/activity** (potentially nonlinear in x)
- b often called **bias** (not to be confused with other biases we discussed!)
- common nonlinear activation function $s(a) = \frac{1}{1+e^{-a}}$: **logistic regression**
- learn w and b via gradient descent

Single Neuron Classifier





i is the index of a training point.




Overfitting






iterations 30,80



Overfitting



Overfitting



prevent overfitting by:

- **early stopping**: just halt the gradient descent
- regularization: L_2 -regularization called **weight decay** in neural networks literature.

Multilayer Networks


- Data vectors $\mathbf{x} \in \mathbb{R}^p$,
binary labels $y \in \{0, 1\}$.
- **inputs** $\mathbf{x} = [x_1, \dots, x_p]^\top$
- **output**
 $\hat{y} = \mathbb{P}(Y = 1 | X = \mathbf{x})$
- **hidden unit activities**
 h_1, \dots, h_m

- Compute **hidden unit activities**:


$$h_\ell = s \left(b_\ell^h + \sum_{j=1}^p w_{j\ell}^h x_j \right)$$

- Compute **output probability**:

$$\hat{y} = s \left(b^o + \sum_{\ell=1}^m w_k^o h_\ell \right)$$



Multilayer Networks



Training a Neural Network

- Objective function: L_2 -regularized log-loss

$$J = - \sum_{i=1}^n y_i \log \hat{y}_i + (1 - y_i) \log(1 - \hat{y}_i) + \frac{\lambda}{2} \left(\sum_{jl} (w_{jl}^h)^2 + \sum_l (w_l^o)^2 \right)$$

where

$$\hat{y}_i = s \left(b^o + \sum_{l=1}^m w_l^o h_{il} \right) \quad h_{il} = s \left(b_l^h + \sum_{j=1}^p w_{jl}^h x_{ij} \right)$$


- Optimize parameters $\theta = \{b^h, w^h, b^o, w^o\}$, where $b^h \in \mathbb{R}^m$, $w^h \in \mathbb{R}^{p \times m}$, $b^o \in \mathbb{R}$, $w^o \in \mathbb{R}^m$ with gradient descent.

$$\frac{\partial J}{\partial w_l^o} = \lambda w_l^o + \sum_{i=1}^n \frac{\partial J}{\partial \hat{y}_i} \frac{\partial \hat{y}_i}{\partial w_l^o} = \lambda w_l^o + \sum_{i=1}^n (\hat{y}_i - y_i) h_{il},$$

$$\frac{\partial J}{\partial w_{jl}^h} = \lambda w_{jl}^h + \sum_{i=1}^n \frac{\partial J}{\partial \hat{y}_i} \frac{\partial \hat{y}_i}{\partial h_{il}} \frac{\partial h_{il}}{\partial w_{jl}^h} = \lambda w_{jl}^h + \sum_{i=1}^n (\hat{y}_i - y_i) w_l^o h_{il} (1 - h_{il}) x_{ij}.$$

- L_2 -regularization often called **weight decay**.
- Multiple hidden layers: **Backpropagation** algorithm

Multiple hidden layers




$$h_i^{\ell+1} = \underline{s} (W^{\ell+1} h_i^\ell)$$

- $W^{\ell+1} = (w_{jk}^\ell)_{jk}$: weight matrix at the $(\ell + 1)$ -th layer, weight w_{jk}^ℓ on the edge between $h_{ik}^{\ell-1}$ and h_{ij}^ℓ
- \underline{s} : entrywise (logistic) transfer function

$$\hat{y}_i = \underline{s} (W^{L+1} \underline{s} (W^L (\dots \underline{s} (W^1 x_i))))$$

- **Many** hidden layers can be used: they are usually thought of as forming a hierarchy from low-level to high-level features.

Backpropagation



$$J = - \sum_{i=1}^n y_i \log h_i^{L+1} + (1 - y_i) \log(1 - h_i^{L+1})$$



- Gradients wrt h_{ij}^{ℓ} computed by recursive applications of chain rule, and propagated through the network backwards.

$$\frac{\partial J}{\partial h_i^{L+1}} = - \frac{y_i}{h_i^{L+1}} + \frac{1 - y_i}{1 - h_i^{L+1}}$$

$$\frac{\partial J}{\partial h_{ij}^{\ell}} = \sum_{r=1}^m \frac{\partial J}{\partial h_{ir}^{\ell+1}} \frac{\partial h_{ir}^{\ell+1}}{\partial h_{ij}^{\ell}}$$

$$\frac{\partial J}{\partial w_{jk}^{\ell}} = \sum_{i=1}^n \frac{\partial J}{\partial h_{ij}^{\ell}} \frac{\partial h_{ij}^{\ell}}{\partial w_{jk}^{\ell}}$$

Neural Networks

Global solution and local minima**Neural network fit with a weight decay of 0.01**

R package implementing neural networks with a single hidden layer: `nnet`.

Dropout Training of Neural Networks

- Neural network with single layer of hidden units:


- **Hidden unit activations:**

$$h_{ik} = s \left(b_k^h + \sum_{j=1}^p W_{jk}^h x_{ij} \right)$$

- **Output probability:**


$$\hat{y}_i = s \left(b^o + \sum_{k=1}^m W_k^o h_{ik} \right)$$

- Large, overfitted networks often have co-adapted hidden units.
- What each hidden unit learns may in fact be useless, e.g. predicting the negation of predictions from other units.
- Can prevent co-adaptation by randomly **dropping out** units from network.



Dropout Training of Neural Networks

- Model as an **ensemble** of networks (more on ensembles later):



- Weight-sharing** among all networks: each network uses a subset of the parameters of the full network (corresponding to the retained units).
- Training by stochastic gradient descent: at each iteration a network is sampled from ensemble, and its subset of parameters are updated.
- Biological inspiration: 10^{14} weights to be fitted in a lifetime of 10^9 seconds
 - Poisson spikes as a regularization mechanism which prevents co-adaptation: Geoff Hinton on Brains, Sex and Machine Learning

Dropout Training of Neural Networks

Classification of phonemes in speech.




Figure from Hinton et al.

Neural Networks – Variations

- Other loss functions can be used, e.g. for regression:

$$\sum_{i=1}^n |y_i - \hat{y}_i|^2$$

For multiclass classification, use **softmax** outputs:

$$\hat{y}_{ik} = \frac{\exp(b_k^o + \sum_{\ell} w_{ik}^o h_{i\ell})}{\sum_{k'=1}^K \exp(b_{k'}^o + \sum_{\ell} w_{ik'}^o h_{i\ell})} \quad L(y_i, \hat{y}_i) = - \sum_{k=1}^K \mathbb{1}(y_i = k) \log \hat{y}_{ik}$$


- Other activation functions can be used:

- rectified linear unit (ReLU):**


$$s(z) = \max(0, z)$$

- softplus:** $s(z) = \log(1 + \exp(z))$

- tanh:** $s(z) = \tanh(z)$



Deep learning intuition










Source: <http://rinuboney.github.io/2015/10/18/theoretical-motivations-deep-learning.html>

Deep learning demo

<http://playground.tensorflow.org/>


Convolutions

Operation	Filter	Convolved Image
Identity	$\begin{bmatrix} 0 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 0 \end{bmatrix}$	
Edge detection	$\begin{bmatrix} 1 & 0 & -1 \\ 0 & 0 & 0 \\ -1 & 0 & 1 \end{bmatrix}$	
	$\begin{bmatrix} 0 & 1 & 0 \\ 1 & -4 & 1 \\ 0 & 1 & 0 \end{bmatrix}$	
	$\begin{bmatrix} -1 & -1 & -1 \\ -1 & 8 & -1 \\ -1 & -1 & -1 \end{bmatrix}$	
Sharpen	$\begin{bmatrix} 0 & -1 & 0 \\ -1 & 5 & -1 \\ 0 & -1 & 0 \end{bmatrix}$	
Box blur (normalized)	$\frac{1}{9} \begin{bmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \\ 1 & 1 & 1 \end{bmatrix}$	
Gaussian blur (approximation)	$\frac{1}{16} \begin{bmatrix} 1 & 2 & 1 \\ 2 & 4 & 2 \\ 1 & 2 & 1 \end{bmatrix}$	

Click for animation.

Source: <https://ujjwalkarn.me/2016/08/11/intuitive-explanation-convnets/>

Deep Convolutional Neural Networks



- Input is a 2D image, $X \in \mathbb{R}^{p \times q}$.
- **Convolution:** detects simple object parts or features. Weights W^m now correspond to a **filter** to be learned - typically much smaller than the input thus encouraging sparse connectivity.
- **Pooling and Sub-sampling:** replace the output with a summary statistic of the nearby outputs, e.g. max-pooling (allows invariance to small translations in the input).

Neural Networks – Discussion

- Nonlinear hidden units introduce modelling flexibility, hierarchical representations.
- In contrast to user-introduced nonlinearities, features are global, and can be learned to maximize predictive performance.
- Neural networks with a single hidden layer and sufficiently many hidden units can model arbitrarily complex functions.
- Highly flexible framework, with many variations to solve different learning problems and introduce domain knowledge.
- Optimization problem is **not convex**, and objective function can have many local optima, plateaus and ridges.
- On large scale problems, often use **stochastic gradient descent**, along with a whole host of techniques for optimization, regularization, and initialization.
- Explosion of interest in the field recently and **many new developments** not covered here, especially by Geoffrey Hinton, Yann LeCun, Yoshua Bengio, Andrew Ng and others. See also <http://deeplearning.net/>.